

TABLE OF CONTENTS

	Page
TITLE PAGE	i
AFFIRMATION	ii
ACKNOWLEDGEMENTS	iii
ABSTRACT	iv
TABLE OF CONTENTS	vi
LIST OF FIGURES	x
LIST OF TABLES	xx
LIST OF SYMBOLS AND ABBREVIATIONS	xxii

Chapter

1. INTRODUCTION

1.1	General	1
1.2	Statement of the problem	3
1.3	Scope of work	7
1.4	Thesis outline	8

2. REVIEW OF DUST CONTROL AT LONGWALL FACES

2.1	Introduction	10
2.2	Respirable dust standards	11
2.3	Longwall face dust conditions in Australia	15
2.4	Fundamental studies	19
2.5	Dust control methods	27
2.6	Modelling studies	52
2.7	Summary	55

Chapter	Page
3	PARAMETRIC STUDIES OF DUST DISTRIBUTION
3.1	Introduction 58
3.2	Objectives of field investigations 59
3.3	Design of underground experiments 60
3.3.1	Field instrumentation 61
3.3.2	Sampling procedure 64
3.4	Results of investigations in longwall face A 70
3.4.1	Average dust concentration profiles 71
3.4.2	Instantaneous dust concentration profiles 75
3.4.3	Respirable dust size distribution 85
3.5	Results of investigations in longwall face B 88
3.5.1	Instantaneous dust concentration profiles 88
3.5.2	Respirable dust size distribution 97
3.6	Results of investigations in longwall face C 100
3.6.1	Instantaneous dust concentration profiles 101
3.6.2	Air velocity patterns 110
3.7	Results of investigations in longwall face D 111
3.7.1	Instantaneous dust concentration profiles 112
3.7.2	Respirable dust size distribution 115
3.7.3	Air velocity patterns 115
3.8	Comparison and Summary 118
4.	DEVELOPMENT OF A NEW PROTOTYPE SCRUBBER
4.1	Introduction 121
4.2	Multi scrubber system 123
4.2.1	Proposed concept 123
4.2.2	Design requirements of the scrubber 124
4.3	Theoretical considerations 126
4.3.1	Particle characteristics 126
4.3.2	Principles of venturi scrubbing 128
4.3.3	Particle collection mechanism in venturi scrubber 135

Chapter	Page	
4.4	General description of the prototype scrubber	138
4.4.1	General description	138
4.4.2	Principle	140
4.4.3	Advantages	142
4.5	Laboratory studies	143
4.6	Results and Analysis	147
4.7	Summary	159
5.	FIELD TESTING OF THE PROTOTYPE SCRUBBER	161
5.1	Field investigations	162
5.1.1	Sampling procedure	164
5.1.2	Protection efficiency	165
5.2	Results and Analysis	165
5.2.1	Experiments in Longwall Face A	165
5.2.2	Experiments in Longwall Face B	171
5.2.3	Experiments in Longwall Face C	175
5.2.4	Comparison of results from different faces	183
5.2.5	Cost and other application areas	185
5.3	Summary	186
6.	MATHEMATICAL MODELLING STUDIES	
6.1	Introduction	188
6.2	Scope of modelling work	189
6.3	Governing equations	189
6.4	Mathematical modelling	201
6.4.1	Simulations with FIDAP	202
6.4.2	Finite element method	203
6.5	Modelling of longwall face - Methodology	204
6.5.1	Problem description	204
6.5.2	Model development	204
6.5.3	Boundary conditions	207
6.5.4	Simulations	209

Chapter		Page
6.6	Longwall face model - Results and Analysis	210
	6.6.1 Airflow patterns in the face	210
	6.6.2 Dust concentration distribution	212
	6.6.3 Airflow and dust behaviour around shearer	213
6.7	Simulation of dust control techniques - Results and Analysis	223
	6.7.1 Curtain over shearer	223
	6.7.2 Curtain on in-bye side of shearer downwind drum	227
	6.7.3 Curtain on in-bye side of shearer upwind drum	230
	6.7.4 Semi-see-through curtain	234
	6.7.5 Face curtains at 1.5 m intervals	235
	6.7.6 Air curtains in the walkway	237
	6.7.7 Scrubber system in the walkway	240
6.8	Summary	245
7.	MODEL VALIDATION WITH FIELD STUDIES	
	7.1 Comparison of Air velocity patterns from modelling results and field measurements	247
	7.2 Comparison of dust concentration level profiles	254
	7.3 Comparison of scrubber system effectiveness	261
	7.4 Summary	269
8.	CONCLUSIONS	
	8.1 Conclusions	270
	8.2 Suggestions for further research	277
	REFERENCES	279